



Accessories
that help you grow
with confidence

Kodak

NexPress M700

Digital Color Press



Scale up to added capacity



Profit from change

With the **Kodak NexPress M700** Digital Color Press, you can deliver exactly what your clients are demanding. Superior image quality, lightning-fast processing power and industry-leading system reliability are just a few of the outstanding features that can help position you to profit from the changes occurring in your market.

By expanding paper capacity and adding finishing components you can streamline your workflow while offering even more options to your clients.

Keep your jobs flowing with an additional feeding option



Secondary Feeder

The secondary paper feeder increases the press's capacity by 4,000 sheets. The module includes three paper feeders which increases the total paper capacity of the press to

10,000 sheets, giving you longer uninterrupted operation. Additionally, you can maintain continuous operation by loading paper while the press runs.

Secondary Feeder

Substrate format:

Maximum sheet size: 330.2 x 487.7 mm (13 x 19.2 in.)

Minimum sheet size: 182 x 182 mm (7.16 x 7.16 in.)

Paper capacity: Two 1000-sheet feeders and one 2000-sheet feeder*

Paper weight: 64 to 300 g/m² (17 lb. bond to 110 lb. cover)

Dimensions (H x W x D): 1095 x 811 x 792 mm (43.1 x 31.9 x 31.2 in.)

Weight: Approx. 230 kg (507 lb.)

High Capacity Delivery

An additional high capacity delivery can be added to the M700 Press configuration. This increases system capacity by 6,000 sheets for a total of 12,000 sheets and provides longer uninterrupted operation. One delivery can be unloaded while the other is filling.

High Capacity Delivery

Main delivery: Up to 5,000 sheets

Proof tray: Up to 1,000 sheets

Maximum sheet size: 330.2 x 487.7 mm (13 x 19.2 in.)

Minimum sheet size: 182 x 182 mm (7.16 x 7.16 in.)

Maximum number of units connected at once: 2

Dimensions (H x W x D): Approx. 1240 x 860 x 765 mm (48.8 x 33.9 x 30.1 in.)

Weight: Approx. 200 kg (440 lb.)



* Capacity measured with 80 g/m² paper (20 lb. bond).

** Rotated

Grow your capabilities

Open the door to new opportunities with in-line finishing options

Finisher and Booklet Finisher

The finisher and booklet finisher both stack and staple sets of sheets. In addition, the booklet finisher also folds and saddlestitches booklets in a

variety of sizes. This flexibility makes finishing customers' jobs easier and faster, as well as saves off-line finishing labor costs.



Finisher and Booklet Finisher

Finisher

Number of trays: 2

Tray capacity:

Top tray: 3,000 sheets*

Lower tray: 2,000 sheets*

Staple positions: Corner stapling, double stapling

Paper weight: 64 - 300 g/m² (17 lb. bond to 110 lb. cover)

Paper size:

Stapling: 8.5 x 11 in., 8.5 x 11 in.-R**, 10.5 x 7.25 in., 8.5 x 14 in., 11 x 17 in., A3, A4, A4-R**, B4 (JIS), B5 (JIS)

Sheet stacking: Up to 330.1 x 487 mm (13 x 19.2 in.)

Maximum stapling capacity: Up to 100 sheets*

Dimensions (H x W x D): Approx. 1180 x 800 x 792 mm (46.5 x 31.5 x 31.2 in.)

Weight: Approx. 126 kg (278 lb.)

Booklet Finisher

Provides all the functionality of the finisher, plus:

Booklet tray capacity: 30 booklets

Paper weight: 64 - 200 g/m² (17 - 75 lb. cover)

Cover only: 64 - 300 g/m² (17 lb. bond to 110 lb. cover)

Booklet paper size: 8.5 x 11 in.-R**, 8.5 x 14 in., 11 x 17 in., 12 x 18 in., A4-R**, A3, B4 (JIS), SRA3

Maximum booklet stapling size: Up to 20 sheets saddle-stitched*

Weight: Approx. 178 kg (392 lb.)

Booklet Trimmer

Available as an attachment to the booklet finisher, the booklet trimmer face trims the document. It can trim up to 40 sheets*, and its accompanying output tray can hold up to 30 booklets.

Booklet Trimmer

Margin trimming: Open-end only

Trim amount: 2 - 20 mm (.08 to .78 in.)

Trim thickness: 40 sheets

Waste tray capacity: 1,500 sheets of trimmed strip

Acceptable paper weight: 64 - 300 g/m² (17 lb. bond to 110 lb. cover)

Output tray capacity: 30 booklets

Dimensions (H x W x D): Approx. 1040 x 1575 x 770 mm (40.9 x 62 x 30.3 in.)

Weight: Approx. 152 kg (335 lb.)



Attachments to Finisher and Booklet Finisher



Cover Inserter

Ideal for inserting preprinted cover sheets into booklets or stapled sets, the unit comes with two inserter trays that hold 200 sheets per tray. In-line inserting saves time by eliminating hand collation while adding impact to finished pieces.



Hole Puncher

The hole puncher multiplies the flexibility and productivity of your **NexPress M700 Press** with a fully-integrated, full-speed punching solution. This option can punch two-, three-, and four-hole positions.

Cover Inserter

Insert covers for booklets and stapled sets

Available for both the finisher and the booklet finisher

2 trays, each with 200 sheet capacity*

Paper weight: 64 - 300 g/m² (17 lb. bond to 110 lb. cover)

Paper sizes

Upper tray: 8.5 x 11 in., 10.5 x 7.25 in., 10.5 x 7.25 in.-R**, A4, B5 (JIS)

Lower tray: 8.5 x 11 in., 8.5 x 11 in.-R**, 8.5 x 14 in., 10.5 x 7.25 in., 10.5 x 7.25 in.-R**, 11 x 17 in., 12 x 18 in., 13 x 19 in., 13 x 19.2 in., A3, B4, A4, A4-R**, B5 (JIS), B5-R (JIS), SRA3

Dimensions (H x W x D): Approx. 213 x 625 x 667 mm (8.4 x 24.6 x 26.3 in.)

Weight: Approx. 17 kg (37.5 lb).

Hole Puncher

Punches two-, three-, or four-hole patterns, sheet by sheet

Available for both the finisher and the booklet finisher

Punch method: Press Punch System

Maximum paper weight: 64 - 200 g/m² (17 lb. bond to 110 lb. index)

Acceptable paper sizes

2/3-Hole: 8.5 x 11 in. (3-hole), 11 x 17 in. (3-hole), 8.5 x 11 in.-R** (2-hole), 8.5 x 14 in. (2-hole)

2-Hole: A4, A4-R**, A3, B4 (JIS), B5 (JIS), B5-R (JIS)

4-Hole: A4, A3

Punch speed: Up to 70 ppm

* Capacity measured with 80 g/m² paper (20 lb. bond).

** Rotated

To learn more about solutions from Kodak:

Visit graphics.kodak.com

Or in North America, call +1-866-563-2533.

Produced using **Kodak** Technologies.

Eastman Kodak Company
343 State Street
Rochester, NY 14650 USA

©Kodak, 2008. Kodak, and NexPress are trademarks of Kodak.

Subject to technical change without notice.

U.DP.205.0408.en.01