



Varn Aqua Conditioner

Hardening agent for fully desalinated water

Varn Aqua Conditioner is used in fully desalinated water to adjust the hardness to approximately 9°d, which is considered to be optimum water conditions for lithographic printing.

Varn Aqua Conditioner does not contain ingredients which will disturb the printing process.

Varn Aqua Conditioner stabilises the incoming water to press and therefore enables accurate and constant pH & conductivity values of the mixed dampening solution to be maintained.

Features	Advantages	Benefits	Product Benefits
Optimises water conditions.	Improved ink/water balance.	Improved print quality.	<ul style="list-style-type: none"> • Stabilises water supply. • Compatible with all of the Varn fount range. • Meets OEM criteria for incoming water.
Eliminates erratic water conditions.	Stable water supply.	Consistent print quality.	
Compatible with the Varn Doser.	Ease of application.	Economy of use.	
Compatible with all of the Varn fount range.	Versatile.	One product for all applications.	

Directions for use

For optimum economy and performance use in conjunction with Varn Graphic Arts Doser DI-160.

Dosage at 0.5% depending on local water conditions.

Packaging



Day International
Varn House, Northbank Industrial Park,
Irlam, Greater Manchester,
M44 5BL, England.

T +44 (0)161 775 5412
F +44 (0)161 775 5415
E day.uk@flintgrp.com
www.dayintl.com

